



INDEX MAPS.

T.5N—R.10W—2nd Mer.



T.6N—R.10W—2nd Mer.



49

Township N. 6 North, Range N. 10 West 2. Mer Ind.

South Boundary

West On S. boundary of Sec. 36, T. 10 N

44.00 Set of Sec. post in prairie

No bearing trees

80.00 Set post Cor. to Sec. 35 & 36 in Open prairie

No bearing trees

Open Smooth prairie no trees nor bushes

Partly covered by private claims

West On S. boundary of Sec. 35

40.00 enter timber land Set of Sec. post from which
a Hickory 18 in. diam. bears N 16° E 40 lks. dist. of
a Do. 12 " " " S 20° W 80 " "

52.00 a Swampy run Course S.

53.58 a W. Oak 22 in. diam.

61.46 to Russion Cr. 100 lks. wide Course S.E. from N.

71.50 the Creek Comes from N.W.

73.35 a Hickory 14 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which
a W. Ash 14 in. diam. bears N 76° E 43 lks. dist. of
a Do 12 " " " S 5° W 28 " "

Last 1/2 of this mile low overflowed bottom
timber Ash, Hickory, Elm &c.

West On S. boundary of Sec. 34

2.50 Russion Creek Course N.E.

5.20 to part of Creek Comes round island

10.00 across island Creek 50 lks. wide Course S.E.

11.66 a Walnut 36 in. diam.

21.00 another part of Russion Cr. 100 lks. Cr. S.

33.50 a Hickory 15 in. diam.

40.00 Set of Sec. post, from which

a W. Ash 16 in. diam. bears S 61° E 14 lks. dist. of

a Boxelder 14 " " " N 36° W 19 " "

42.50 a part of Russion Cr. 75 lks. wide Course NW

50.00 to Russion Course S. Still water, this part of Cr.
puts into the Wabash above the other, this is the

16th NW 2^d Mer. Ind.

ch. 9th

Main branch

72.90 to Bussow Cr. 70 lks. wide Cr. S. Still water
 80.00 Set post cor. to Sec. 33 & 34, from which
 a W. Oak 12 in. dia. bray S 85 E 30 lks. dist. of
 an Elm 8 " " " N 26 W 7 " "
 This mile low overflowed bottom, timber
 Elm, Hickory, Ash, Swamp W. Oak &c. (many kinds)

West On S. boundary of Sec. 33.

3.86 to Bussow Cr. 100 lks. wide Cr. S. Still water
 16.66 a Hoop Oak 20 in. dia.

25.22 Wabash River Set post, from which
 a Willow 12 in. dia. bray S 83 E 18 lks. dist. of
 a Maple 12 " " " N 1 E 43 " "

This distance low sunken bottom, timber
 Elm, Maple, Sycamore, Cottonwood &c.

Quit November 30th. 1804

East Boundary ran. 6.45 E.

North On E. boundary of Sec. 36

40.00 Set of. Sec. post in Open prairie
 no bearing trees

45.00 leave Open prairie to brushy land some Oak timber.

80.00 Set post Cor. to Sec. 25 & 36, from which
 a P. Oak 24 in. dia. bray S 59 W 73 lks. dist. of
 a W. Oak 16 " " " N 64 E 97 " "

last 1/2 of this mile Prairie brushy with Oak
 & Hickory brush, some Oak timber Soil thin

C. Buckingham, L. S.

Partly covered by private claims

North On E. boundary of Sec. 25

10.00 edge of a prairie

31.50 a prairie 58.00 chains wide

40.00 Set of. Sec. post in prairie no bearing trees

80.00 Set post Cor. to Sec. 24 & 25, in prairie

March 2^d. 1811.

St. Pierre, 2nd Mer. Ind.

Ch. Lh.

North On E. boundary of Sec. 24

8.00 leave the prairie

12.50 to Russeron 150 km. wide

Cor. to Sec. 13 & 24, from which

a W. Oak 20 in. diam. bray S 66° W 140 km. dist. &

a B. Oak 4 " " " S 72° E 66 " "

South from Cor. to Sec. 13 & 24

30.70 a W. Oak 30 in. diam.

34.00 a Pond 550 km. wide

40.00 Set gr. Sec. post, from which

a B. Oak 24 in. diam. bray N 25° W 23 km. dist. &

an Ash 12 " " " S 75° E 24 " "

66.00 to Russeron Creek Set post

2nd rate land

North On E. boundary of Sec. 13

18.05 a Hickory 10 in. diam.

25.00 enter a prairie

40.00 Set gr. Sec. post in prairie

No bearing trees

80.00 Set post Cor. to Sec. 12 & 13, from which

a B. Oak 10 in. diam. bray S 39° E 56 km. dist. &

a Hickory 20 " " " N 4° W 300 " "

Moderate prairie

North On E. boundary of Sec. 12

40.00 Set gr. Sec. post, from which

a W. Oak 18 in. diam. bray N 54° E 54 km. dist. &

a L. Oak 24 " " " N 60° W 99 " "

69.16 a W. Oak 15 " " "

80.00 Set post Cor. to Sec. 11 & 12, from which

a W. Oak 15 in. diam. bray N 11° W 133 km. dist. &

a B. Oak 12 " " " N 76° E 67 " "

Moderate Oak land

North On E. boundary of Sec. 1

St. R. 10th 2nd Mer. Indiana

ch. lks.
 35.71 a W. Oak 18 in. dia.
 40.00 Set gr. Sec. post, from which
 a W. Oak 20 in. dia. bears S 85° W 160 lks. dist. to
 no other
 41.00 enter a prairie
 61.00 leave the prairie
 52.55 Intersected Town Corner
 Over 2nd rate Oak land
 March 3rd 1811
 Daniel Sullivan
 Deputy Surveyor

North Boundary. March 18th 1811
 East On Rand^m. S. boundary of Sec. 31, T. 1 N. R. 10 W
 40.00 Set temp^y. gr. Sec. post
 80.00 Set temp^y. Cor. to Sec. 31 & 32
 (Description of land &c omitted)

East On Rand^m. S. boundary of Sec. 32, T. 1 N. R. 10 W
 40.00 Set temp^y. gr. Sec. post
 80.00 Set temp^y. Cor. to Sec. 32 & 33
 Dry Sandy prairie 2nd rate thin soil

East On Rand^m. S. boundary of Sec. 33, T. 1 N. R. 10 W
 40.00 Set temp^y. gr. Sec. post
 80.00 Set temp^y. Cor. to Sec. 33 & 34
 First 1/2 mile wet prairie - last 1/2 dry and
 Sandy 2nd rate

East On Rand^m. S. boundary of Sec. 34, T. 1 N. R. 10 W
 40.00 Set temp^y. gr. Sec. post
 80.00 Set temp^y. Cor. to Sec. 34 & 35
 2nd rate prairie dry and Sandy

East On Rand^m. S. boundary of Sec. 35, T. 1 N. R. 10 W
 18.00 Crossed the prairie

53

T6 N R10 W. 2nd Mer. Indiana

ck^d. lky.
 40.00 Set temp^y. q^r. Sec. post
 52.00 enter a prairie
 80.00 Set temp^y. Cor. to Sec^s. 35 & 36
 (Description of land &c. Omitted)

East On Rand^m. S. boundary of Sec. 36, T⁶ N. R10 W
 40.00 Set temp^y. q^r. Sec. post
 50.00 enter a prairie
 75.00 Cross the prairie
 85.24 intersected Range line 11.03 South of the
 temp^y. post Cor. to townships 6 & 7 N, Ranges
 9 & 10 West. Sand level Oak & Hickory
 Sandy Soil 2nd rate

March 23rd 1811. variation 5th 45' East
 Set post Cor. to Township 6 & 7 North, of
 Range 9 & 10 West, from which
 a W. Oak 20 in. dia^r. bear North 808 lks. dist. &
 no other near.
 West On true line S. boundary of Sec. 36, T⁶ N. R10 W
 40.00 Set q^r. Sec. post, from which
 a S. Oak 7 in. dia^r. bear N 76 E 29 lks. dist. &
 an Elm 13 " " " N 55 W 67 " "
 80.00 Set post Cor. to Sec^s. 35 & 36, from which
 a W. Oak 16 in. dia^r. bear N 14 E 20 lks. dist. &
 a W. Oak 20 " " " N 29 E 238 " "

West On true line S. boundary of Sec. 35, T⁶ N. R10 W
 40.00 Set q^r. Sec. post, from which
 a — 9 in. dia^r. bear N 88 W 358 lks. dist. &
 a B. Oak 27 " " " N 36 W 541
 80.00 Set post Cor. to Sec^s. 34 & 35, T⁶ N. R10 W in a
 prairie no bearing trees

West On S. boundary of Sec. 34, T⁶ N. R10 W
 40.00 Set q^r. Sec. post in prairie no bearing trees

T6 N. R10 W. 2^d Mer. Indianach² l^y

80.00 Set post Cor. to Sec. 33 & 34, T7 N. R10 W
in prairie no bearing trees

West On true line S. boundary of Sec. 33, T7 N. R10 W

40.00 Set gr. Sec. post in prairie
no bearing trees

80.00 Set post Cor. to Sec. 32 & 33, T7 N. R10 W, from which
a P. Oak 30 in. diam. bears S46° E 689 ch. dist.
This post stands in a prairie

West On S. boundary of Sec. 32, T7 N. R10 W

40.00 Set gr. Sec. post in prairie
no bearing trees

80.00 Set post Cor. to Sec. 31 & 32, from which
a Hackberry 10 in. diam. bears S81° E 9 ch. dist. of
a Mulberry 8 " " " S12° W 11 " "

West On true line S. boundary of Sec. 31, T7 N. R10 W

40.00 Set gr. Sec. post, from which
a Sycamore 27 in. diam. bears S16° W 12 ch. dist. of
a Llo. 24 " " " S76° E 40 " "

84.12 Intersected the Range line 609 ch. South
of the temp. Township Corner. Set post
at the intersection for Cor. to township
6 & 7 N. Range 10 & 11 W, from which
a Maple 12 in. diam. bears N17° W 14 ch. dist. of
a Llo. 8 " " " East 39 " "
This post is on the River Bank

West Boundary. var. 6.45' E.

March 6th 1811. Began at the cor. of Sec. 12 of
13, T6 N. R11 W. — thence

North On E. boundary of Sec. 12, T6 N. R11 W

27.50 a Poplar 48 in. diam.

40.00 Set gr. Sec. post, from which
an Ash 14 in. diam. bears S70° E 6 ch. dist. of

55

Sec. 10 N. 2^d Mer. Indiana

ch. l. h.

an Ash 20 in. dia. beam N 24 W 44 l. h. dist. of
 54.00 an Ash 36 " " "
 69.39 a B. Walnut 30 in. dia.
 76.50 Set meander post on right bank of the Wabash
 River from which
 a B. Walnut 30 in. dia. beam N 17 E 30 l. h. dist. of
 a Sugar tree 20 " " " S 60 W 41 " "
 80.00 Cor. to Sec. 1 of 12 in the River
 Good land

North On E. boundary of Sec. 1, Sec. 10 N
 6.50 Set meander post on left bank of the Wabash
 River, from which
 an Ash 15 in. dia. beam N 52 E 34 l. h. dist. of
 a Cottonwood 12 " " " N 66 W 22 " "
 26.00 Set meander post on left bank of River
 again, from which
 a Maple 10 in. dia. beam N 54 E 46 l. h. dist. of
 a Ro. 15 " " " S 55 W 87 " "
 35.00 Set meander post on right bank of
 River from which
 a Sycamore 48 in. dia. beam N 71 E 43 l. h. dist. of
 an Elm 24 " " " N 70 W 44 " "
 40.00 Set q. Sec. post from which
 a Locust 36 in. dia. beam S 33 E 3 l. h. dist. of
 an Elm 14 " " " S 37 W 11 " "
 52.25 a B. Walnut 30 in. dia.
 61.50 a Cottonwood 40 " "
 64.00 a Hoopash 20 in. dia. Cor. on right bank of River
 73.91 to Township Corner.
 10.00 Surveyed By W. Harris, d. S.

Subdivision.

North Between Sec. 33 of 34, Sec. 10 N
 5.50 a Brook 70 l. h. wide Course N 41
 15.07 to an Elm 15 in. dia.

Sec. 10 T. 2. S. Mer. Indiana

ch. 2th
 40.00 Set q^r. Sec. post, from which
 a W. Oak 25 in. dia^r, bear S 65 E 23 lth. dist. of
 a Mulberry 14 " " " N 59 W 48 " "
 43.32 a Sycamore 30 in. diam^r.
 64.39 a Cottonwood 40 " "
 76.90 Set meander post on S. E. side of Nabash
 River from which
 a Hoopash 14 in. dia^r, bear S 39 W 9 lth. dist. of
 a Sycamore 24 " " " S 85 E 56 " "
 Low overflowed bottom, Elm, Sycamore
 Hoopash, Cottonwood &c.

East On S. boundary of Sec 35 (resurvey)
 40.00 to q^r. Sec. post
 45.00 to Open prairie
 80.00 Set post Cor. to Sec. 35 of 36 on Open prairie

East On S. boundary of Sec. 36 (resurvey)
 40.00 Set q^r. Sec. post in Open prairie
 80.30 to Corner of Township 5 of 6 N. Range
 9 of 10 W. Open prairie

North Between Sec. 34 & 35
 3.00 to a Brook 15 lth. wide Course S. E.
 28.62 a Sweet Gum 24 in. dia^r.
 40.00 a W. Oak 12 in. dia^r. Corner tree
 57.00 a W. Oak 30 " "
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Gum 18 in. dia^r, bear S 25 E 32 lth. dist. of
 a W. Oak 12 " " " N 72 " "
 This mile good level land, W. Oak, S. Gum
 Hickory, Hackberry &c.

West On R. and 9^m. between Sec. 27 & 34
 26.50 to Russenon Creek 150 lth. wide Course S. E.
 40.00 Set temp^y. q^r. Sec. post

St. R.M. 2^d Mer. Indiana

57

ch. l. l.

79.40 to the Wabash River

80.47 Cor. to Sec. 27 & 28, 33 & 34 in the River
 hit the line on the West side of the River
 This mile good bottom

East On true line between Sec. 27 & 34

2.07 Set meander post on E. bank of the Wabash
 River, from which
 a Hoopash 16 in. dia. bray S 48 W 12 lks. dist. of
 a Do. 14 " " " N 3 E 21 " "
 40.23 Set q. Sec. post at average dist. from which
 a W. Ash 12 in. dia. bray N 62 E 12 lks. dist. of
 a Hackberry 15 " " " S 8 W 65 " "
 September 6th 1807

North Between Sec. 26 & 27

16.75 a W. Ash 12 in. dia.
 34.00 to Busserson Cr. 150 lks. wide Cr. St. M.
 40.00 Set q. Sec. post, from which
 an Elm 13 in. dia. bray S 32 E 32 lks. dist. of
 a W. Ash 10 " " " N 20 W 26 " "
 51.58 a W. Oak 36 " "
 80.00 Set post Cor. Sec. 22, 23, 26 & 27 from which
 a Gum 18 in. dia. bray S 30 W 63 lks. dist. of
 a Do. 16 " " " N 30 E 44 " "
 This mile overflowed bottom, Elm, Maple
 W. Ash, W. Oak, Gum &c.

North Between Sec. 35 & 36

40.00 Set q. Sec. post in Open prairie
 no bearing trees
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
 a B. Oak 16 in. dia. bray S 15 W 12 lks. dist
 no more trees near
 This mile Open prairie soil good

Sect. R10W. 2^d. Mer. Indianach²thEast On Rand^m. between Sec^s. 25 & 36

35.00 to Sandy barrens some Oak & Hickory

40.00 Left temp^y. gr. Sec. post81.06 Intersected E. boundary 17³/₄ l^hs. S. of postThis mile Open wth prairie barrensWest On true line between Sec^s. 25 & 3640.53 Set gr. Sec. post at average dist. from which
a W. Oak 14 m. diam. bears S 62° W 63 l^hs. dist. of
a Co. 12 " " " N 21° E 53 " "

84.06 to Sec. Corner

West On Rand^m. between Sec^s. 26 & 35

40.00 to low bottom land

40.00 Left temp^y. gr. Sec. post

80.30 Intersected the N. S. line at the post

This mile low bottom land, Ash, Elm,
Oak, B. Suck &c.East On true line between Sec^s. 26 & 3540.15 Set gr. Sec. post at average dist. from which
a W. Oak 16 m. diam. bears N 36° E 28 l^hs. dist. of
an Elm 14 " " " N 21° W 31 " "

80.30 to Sec. Corner

North Between Sec^s. 25 & 26

17.13 a W. Oak 21 m. diam.

24.00 to Russen Cr. 100 l^hs. wide course S. W.

29.00 Same " " " " S. E.

35.00 Same " " " " S. W.

40.00 Set gr. Sec. post, from which

an Elm 36 m. diam. bears N 80° W 30 l^hs. dist. of

a Co. 9 " " " N 44° E 22 " "

Low bottom, Elm, Maple, Ash, B. Suck
Sycamore &c.

53.38 a W. Oak 14 m. diam.

59

S 6 N R 10 W. 2^d. Mer. Indiana

ch. 1/4

55.00 to Open barrens
 80.00 Set post cor. to Sec. 23, 24, 25 & 26 from which
 a Hickory 14 in. dia. bear S 55 W 20 1/2 th. dist of
 a W. Oak 8 " " " S 71 E 28 1/2 " "
 Land same as on 1st 1/2 mile

East On Rand^m. between Sec. 24 & 25
 40.00 Set temp^y. gr. Sec. post
 45.00 to rich bottom land
 50.00 to Pussuron Cr. 130 th. wide Cr. S. E.
 65.00 to Open prairie
 82.10 Intersected E. boundary 280 th. S. of post
 Over Barrens some Oak & Hickory

West On true line between Sec. 24 & 25
 41.15 Set gr. Sec. post at average dist. from which
 a B. Oak 13 in. dia. bear S 33 W 18 th. dist of
 a W. Oak 12 " " " N 82 E 69 " "
 82.10 to Sec. Corner.

North On E. boundary of Sec. 24
 from Corner to Sec. 24 & 25
 6.73 Intersected North Boundary of Vincennes
 Tract

North Between Sec. 23 & 24
 33.73 Intersected N. boundary and set post
 in Barrens no bearing trees
 Barrens land some few small Oak & Hickory

West On Rand^m. between Sec. 23 & 26
 37.00 to Open prairie
 40.00 Set temp^y. gr. Sec. post
 70.00 to bottom land, Elm, Ash, Sycamore &c.
 80.40 Intersected the N & S. line 27 th. N. of post
 Over Barrens some small Oak & Hickory

S. 6. N. R. 10 W. 2^d. Mer. Ind.

ch. 9. 1/2
East On true line between Secs. 23 & 26
40.20 Set q^r. Sec. post at average dist. in Open
prairie no bearings
80.40 to Sec. Corner.

West On Rand^m. between Secs. 22 & 27
40.00 Set temp^y. q^r. Sec. post
40.50 to a pond
44.00 Over the pond
65.84 to the River fell 35th. S. of line (on W. side
of River)
80.00 Set post con. to Secs. 21, 22, 27 & 28 in
River. (description of land &c omitted)

East On true line between Secs. 22 & 27
40.00 Set q^r. Sec. post at average dist. from which
a Sycamore 27 in. dia. bran 156 W 11th. dist. of
an Elm 9 " " " 126 E 7 " "
80.00 to Sec. Corner.

North Between Secs. 22 & 23
27.03 a Gum 20 in. dia. & very
37.00 to Open prairie
40.00 Set q^r. Sec. post, from which
a B. Oak 18 in. dia. bran 184 E 70th. dist. of
no other tree
60.70 Intersected (old) N. boundary
in Open prairie

West Between Secs. 24 & 25
12.00 leave the prairie
30.80 to Russian. wet land
East Between Secs. 24 & 25
40.00 Set q^r. Sec. post, from which
a W. Oak 15 in. dia. bran 150 W 18th. dist. of
a Ro. — " " " 181 E 70 " "

West R. 10 N. 2^d Mer Indiana

ch. 1st 1st hr.

48.00 to Pusserson Cr.

2^d rate Oak land

North Between Sec. 23 & 24

40.00 Set q. Sec. post, from which
a W. Oak 18 in. diam. bears S 20 E 19 ch. dist. of
a Gum 14 " " " N 21 E 55 " "

44.21 a W. Oak 18 " "

49.00 a prairie

60.00 enter a Marsh

80.00 Cor. to Sec. 13, 14, 23 & 24 in Marsh

No bearing trees - 2^d rate Oak land

East Between Sec. 13 & 24

14.00 leave the Marsh

40.00 Set q. Sec. post in the prairie

50.00 leave the prairie

80.00 to the Range line

2^d rate land

North Between Sec. 13 & 14, West R. 10 N.

40.00 q. Sec. Corner in pond

80.00 Sec. Corner in pond

(From Surveyor's notes, this mile all pond)

East On Rand^m between Sec. 12 & 13

40.00 temp. Cor. in pond

66.00 enter dry prairie

80.00 Intersected E. boundary at Cor. to Sec. 12 & 13

(Description of land etc. Omitted)

West On true line between Sec. 12 & 13

40.00 q. Sec. Corner in pond

No bearing trees

80.00 to Sec. Corner

T6 St. R 10 W. 2^d. Mer. Indiana

N. P. L. h.
 North Between Sec. 11 & 12
 40.00 gr. Sec. Corner in road no bearing trees
 70.00 enter dry prairie
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12 (from which
 no trees could be taken) in prairie
 (Description of land &c. Omitted)

East On Rand^m. between Sec. 1 & 12
 10.00 to woodland
 40.00 Set temp^y. gr. Sec. post
 51.30 a stream 6 l^ys. wide course S.
 80.00 Intersected E. boundary at the post
 Land 2^d. rate, timber Oak

West On true line between Sec. 1 & 12
 40.00 Set gr. Section post at average dist. from which
 a W. Oak 15 in. dia^r. bear S 46 E 26 l^ys. dist. of
 a - Oak 20 " " " S 58 E 20 " "
 80.00 to Sec. Corner.

North Between Sec. 1 & 2
 40.00 Set gr. Sec. post in prairie no bearings
 50.00 leave the prairie
 65.62 a W. Oak 20 in. dia^r.
 80.00 Set temp^y. post. Over 2^d. rate land
 (This line has never been closed out to N. bound)

North Between Sec. 22 & 23 (S 1/2 is resurvey)
 26.50 a Gum - in. dia^r.
 36.00 enter a prairie
 40.00 Set gr. Sec. post, from which
 a P. Oak 20 in. dia^r. bear S 65 E 85 l^ys. dist. of
 a Do. 20 " " " N 26 E 1/2 " "
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, in prairie
 no bearing trees - 2^d. rate prairie

S. C. N. P. W. N. 2nd Mer. Indiana

Ch. 1st 1st

East On Rand^m between Sec. 14 & 23
 40.00 Set temp^y. q^r. Sec. post in prairie
 80.00 Intersected Corner in Marsh
 Over wet prairie

West On true line between 14 & 23
 40.00 Set q^r. Sec. post at average dist in prairie
 No bearing trees
 80.00 to Sec. Corner.

North Between Sec. 14 & 15
 40.00 Set q^r. Sec. post, in prairie
 No bearing trees
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, in prairie
 No bearing trees
 (Description of land &c. Omitted)

East On Rand^m between Sec. 11 & 14
 40.00 Set temp^y. q^r. Sec. post
 71.00 to a pond
 80.00 Intersected the Corner in the pond
 (Description of land Omitted)

West On true line between Sec. 11 & 14
 40.00 Set q^r. Sec. post in prairie
 80.00 to Sec. Corner

North Between Sec. 10 & 11
 40.00 Set q^r. Sec. post in prairie
 No bearing trees
 75.00 enter a Swamp
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11 in Swamp
 No bearing trees.

West Between Sec. 22 & 27
 40.00 q^r. Sec. Corner in pond 300 yds. wide

Sb N. R. W. 2^d. Mer. Indianach. 1st 1/4

63.30 to the River bank

West Between Sec. 15 & 22

40.00 Set q^r. Sec. post in prairie

no bearing trees

42.00 leave the prairie

59.20 a Sycamore 20 in. dia^r. on the River bank. March 4th. 1871.

66.50 over the River

80.00 Intersected Cor. of Sec. 15, 16, 21 & 22

North Between Sec. 15 & 16

71.33 to Wabash River, set post, from which
a Poplar 9 in. dia^r. bear S 50 E 20 ch. dist. of
a Sycamore 40 " " " N 69 W 50 " "71.33 Set meander post on the left bank of the
Wabash river, from which
a Willow 15 in. dia^r. bear S 22 E 15 ch. dist. of
a Do. 20 " " " S 85 W 19 " "

72.68 an Elm 48 " "

40.00 q^r. Sec. Cor. Omitted80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a B. Oak 24 in. dia^r. bear N 51 W 74 ch. dist. of
a W. Oak 18 " " " N 18 E 81 " "
Land wet 2nd rate, timber Gum, Oak &c.

East On Range between Sec. 10 & 15

36.00 to prairie

40.00 temp^y. q^r. Sec. post in prairie80.00 Intersected the N & S. line at the post
(description of land &c. omitted)

West On true line between Sec. 10 & 15

40.00 Set q^r. Sec. post at average dist. from which
a B. Oak 20 in. dia^r. bear S 81 W 34 ch. dist.
no more trees near

65

S. N. R. 10th 2^d Mer. Indiana

Ch. 1st
80.00 to Sec. Corner

North Between Secs. 9 & 10

8.81 a Gum 12 in. dia.
40.00 a Pecan 18 in. dia. (marked for q^r. Sec. Cor.)
72.00 enter a prairie
80.00 Cor. to Secs. 3, 4, 9 & 10 in prairie
No bearing trees
Land rich, Ash, Gum &c.

East On Rand^m. between Secs. 3 & 10

40.00 Set temp^y. q^r. Sec. post
55.00 enter a Swamp
80.00 Intersected Corner in Swamp

West On true line between Secs. 3 & 10

40.00 Set q^r. Sec. post at average dist in prairie
No bearing trees
80.00 to Sec. Corner.

North Between Secs. 3 & 4

40.00 q^r. Sec. Corner in Swamp
80.00 Set post in prairie
(this line has never been closed out to the North Boundary) All prairie

East Between Secs. 9 & 16

27.39 to a Maple 10 in. dia. on the River bank
West Between Secs. 9 & 16 (from Cor. of Secs. 9, 10, 15 & 16)
24.00 a Stream 60 ft. wide Course S
42.36 Intersected the Wabash, Set post, from which
a Sycamore 40 in. dia. bears N 35° 18' E 18 ft. dist. of
an Ash 12 " " " — 77° 6' 74 " "
(description of land &c. omitted)

North Between Secs. 8 & 9

St. R 10 N. 2^d. Mer. Indiana

- ch^d. lth.
 8.18 Set post on right bank of River from which
 a Sycamore 24 in. dia. bear N 34 W 30 lth. dist. of
 a Maple 6 " " " East 39 " "
 17.82 Set post on left bank of River from which
 a Sycamore 36 in. dia. bear S 47 E 34 lth. dist. of
 a Do. 30 " " " N 35 W 5 " "
 (40.00 q^r. Sec. Cor. & bearings Omitted)
 72.50 enter a prairie
 80.00 Set post Cor. to Sec^s. 4, 5, 8 & 9 in prairie
 Some good bottom & oak ridge

East Between Sec^s. 4 & 9
 35.00 enter an (impassable) Swamp
 (residue not run)

North Between Sec^s. 4 & 5
 40.00 Set q^r. Sec. post in prairie
 no bearing trees
 70.00 enter a Marsh
 80.00 post in Marsh
 (This line has never been closed out to the
 north boundary)

North Between Sec^s. 7 & 8
 3.80 an Ash 12 in. dia.
 26.30 a Poplar 38 " "
 38.30 Set post on right bank of River from which
 a Water Beech 5 in. dia. bear S 70 E 16 lth. dist. of
 an Ash 8 " " " N 72 W 13 " "
 40.00 q^r. Sec. Corner in the River
 48.30 a Hoopash 18 in. dia. on the Left Bank
 of Wabash River
 80.00 Set post Cor. to Sec^s. 5, 6, 7 & 8, from which
 a Locust 36 in. dia. bear N 47 E 18 lth. dist. of
 a Hickory 12 " " " S 42 W 14 " "
 (description of land Omitted) March 6th 1811

St. River 2^d Mer. Indiana

ch. lth

North Between Sec. 5 & 6

8.00 a Lyncamore 30 in. dia.

40.00 Set gr. Sec. post, from which
a Hoopash 14 in. dia. bear S 53 E 44 in. dist. of
an Ash 8 " " " S 36 W 18 " "

52.34 a Pecan 30 " "

70.00 enter a prairie

80.00 post in prairie. Over level Rich land
timber Hoopash &c.

(This line has never been closed out to the
St. boundary).

East Between Sec. 5 & 8

40.00 gr. Sec. post

76.50 to prairie

81.21 to post - 2^d rate land

(Whether the above is the Random or true
line, is not known by the notes)

West Between Sec. 6 & 7

1.60 a Hoopash 15 in. dia.

40.00 Set gr. Sec. post, from which
a Buckeye 20 in. dia. bear S 75 E 33 in. dist. of
a Do. 8 " " " S 71 W 17 " "

53.15 an Elm 20 " "

76.16 Intersected the St. boundary 10.75 th. St. of
Fox in River of 425 th. St. of Meander post
on the River, Set post Cor. to Sec. 6 & 7, from which
a Hoopash 18 in. dia. bear S 54 E 12 in. dist. of
a Hickory 20 " " " S 21 E 39 " "
(Description of land &c. Omitted)

As there are no meanders of the Indiana
Side of the Wabash in Sec. 6, I here insert
the Meanders of the Illinois Side.
Beginning at a post on the Range line

T6 N R10 W, 2nd Mer. Indiana

Courses	distances	
		Thence downstream
S65 E	14.00	in Sec. 6, T6 N, R10 W
S84 E	10.00	
S76 E	16.00	
S69 E	8.00	
S25 E	6.00	
South	8.00	
S57 W	8.00	
N85 W	19.00	
N69 W	13.00	
S82 W	11.00	to post in Range line
		From line between Sec. 33 & 34
		thence down stream
S30 W	10.00	in Sec. 33
South	9.00	
S10 E	11.00	
S5 W	5.00	
S35 W	6.00	
S50 W	4.00	
S65 W	5.00	
S80 W	5.00	
S77 W	7.50	
S65 W	13.00	
S70 W	2.00	
S20 W	4.00	
S10 E	6.50	
S30 E	6.00	
S15 E	13.00	
S25 E	5.00	
S40 E	4.00	
S47 E	5.28	Intersected the S. boundary
		From line between Sec. 33 & 34
		Thence up stream in Sec 34
N30 E	4.24	to line between Sec. 27 & 34

69

St. R. H. J. Miller, Indiana

Course	Distance	
N30E	8.00	in Sec. 27
N25E	10.00	
N5E	8.00	
North	4.00	
N14W	3.00	
N25W	8.50	
N40W	8.50	
N65W	4.50	
N25W	4.00	
N45E	4.00	
N70E	5.00	
N80E	5.00	
N65E	5.00	
N60E	5.00	
N40E	7.50	
N20E	2.00	
N10E	8.50	
N40W	5.00	
N60W	1.84	to line between Sec. 27 & 22
N40W	4.00	in Sec. 22
N72W	24.00	
North	6.00	
N35E	8.00	
N55E	28.00	
N29E	13.00	
N7E	15.00	
N20W	18.00	to line between Sec. 15 & 22
N21W	8.00	in Sec. 15
N31W	5.00	
N55W	10.00	
N70W	9.64	to line between Sec. 15 & 16
N57W	23.00	in Sec. 16
N33W	12.00	

T6N R10W 2^d Mer. Ind.

Courses	Distances	
N25°W	40.00	(at 18.00 stream 60) to line between 9 & 16
N42°W	15.00	in Sec. 9
N70°W	15.00	
N80°W	15.00	to line between Secs. 8 & 9
N73°W	35.00	in Sec. 8
N57°W	6.00	
N47°W	11.00	
N61°W	11.00	
N82°W	24.50	to line between Secs. 7 & 8
N80°W	13.00	in Sec. 7
N64°W	30.00	
N76°W	30.00	
N64°W	9.00	to meander post in N. boundary
Surveyed By Daniel Sullivan, Dep'ty. Surveyor		

Certify that the foregoing transcript of field notes of Township N. 6 North Range N. 10 West 2^d Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 15, 1842

William Johnston
Dep'ty. Gen'l.

Comp.